

VC960

Mini DisplayPort to DVI Adapter



Mini DisplayPort to DVI Adapter



Mini DisplayPort Input
DisplayPort 1.2a compliant

DVI-I Output



Plug-n-Play

No installation software or drivers required. The VC960 is the perfect solution for connecting Mini DisplayPort inputs to DVI output displays.

Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)

[Contact Sales](#)

Superior Video Resolution

Supports resolutions up to 1920 x 1200 and 1080p, making it highly compatible across devices.



[Talk to Our Experts](#)

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly

First Name *

Last Name *

- Country *

Company *


Email *

Phone Number *

- Customer Type *

Job Title *





Features

The Mini DisplayPort to DVI Adapter allows you to connect a device with a Mini DisplayPort to a display with a DVI connector.


The adapter is perfect for Mac series products, including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro.

- Converts Mini DisplayPort signals to DVI output
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200(PC) / 1080p ([HDTV](#))
- Supports Mac Products including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro
- No software or driver installation needed
- DisplayPort 1.2 compliant

Specifications

Video Input	
Interfaces	1 x Mini DisplayPort Male (White)
Video Output	
Interfaces	1 x DVI-I Female (White)* *VC960 Only supports digital signal transmission.
Video	
Max. Pixel Clock	165 MHz
Max. Resolution	Input up to 4096 x 2160@60Hz (4:4:4) Output up to 1920 x 1200
Compliance	DP 1.2
Environmental	
Operating Temperature	0 - 50 °C
Storage Temperature	-20 - 60 °C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Plastic
Weight	0.05 kg (0.11 lb)
Dimensions (L x W x H)	20.00 x 4.30 x 2.01 cm (7.87 x 1.69 x 0.79 in.)
Carton Lot	40 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
All rights reserved. All other trademarks are the property of their
respective owners.