


## 2L-NDLCシリーズケーブル

高強度光ファイバーケーブル




※2L-NDLCシリーズケーブルは2024年4月12日に販売終了しました。

2L-NDLCシリーズは、JMACS社製の高強度光ファイバーケーブルです。高強度・可とう性を実現し、過酷な環境化にも耐えうる強靱さを有しているため、ネットワークに大きな安心をお届けします。iDCストレージ間の配線、光端局装置間の配線、CPU～CPU周辺機器および光LAN配線、構内引き込み用または構内～構内間での配線、機器間配線（OA、FA、BA等）での用途に最適です。

### ケーブル仕様

|                          |             |          |
|--------------------------|-------------|----------|
| ファイバ線心数                  | 2           |          |
| ファイバサイズ(μm)<br>(コア/クラッド) | SM          | 9/125    |
| ファイバー線心被覆外形(mm)          | 0.9         |          |
| 標準外部シース色                 | イエローまたはブラック |          |
| 仕上げ外径(mm)                | 6.5         |          |
| 概算質量(kg/km)              | 36          |          |
| 許容曲げ半径(mm)               | 引込時 / 敷設後   | 104 / 52 |
| 許容張力(kg)                 | 引込時 / 敷設後   | 224 / 56 |

### ケーブルの断面図



#### 機械特性

|                |      |
|----------------|------|
| 耐側圧性(N/cm)※    | 2100 |
| 耐衝撃性(impacts)※ | 1500 |
| 耐屈曲性(cycles)※  | 2000 |

※参考値であり、保証値ではありません。

#### 伝送特性

|                 |          |     |     |
|-----------------|----------|-----|-----|
| 伝送損失<br>(dB/km) | 波長1300nm | 最大値 | 0.5 |
|                 | 波長1550nm | 最大値 | 0.5 |

販売  
終了

#### 特長

- 鋼体等の特殊な外装を施さずに、側圧・衝撃に強く、優れた耐摩耗性
- 機械的強度を保持しつつ、細径および軽量化を実現し、かつ、優れた柔軟性
- 幅広い温度範囲（-55～85℃）で、使用可能
- ケーブル長<sup>\*</sup> 15m～600m

<sup>\*</sup>標準ケーブル長以外は、別途お問い合わせください。

#### 仕様

|       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ケーブル長 | <p>15～600m<br/>※標準ケーブル長以外は、別途お問い合わせください。</p> <p>型番の末尾3桁が距離を表しています。</p> <p>2L-NDLC015 : 15m<br/>2L-NDLC020 : 20m<br/>2L-NDLC030 : 30m<br/>2L-NDLC050 : 50m<br/>2L-NDLC060 : 60m<br/>2L-NDLC070 : 70m<br/>2L-NDLC080 : 80m<br/>2L-NDLC090 : 90m<br/>2L-NDLC100 : 100m<br/>2L-NDLC110 : 110m<br/>2L-NDLC120 : 120m<br/>2L-NDLC130 : 130m<br/>2L-NDLC140 : 140m<br/>2L-NDLC150 : 150m<br/>2L-NDLC160 : 160m<br/>2L-NDLC170 : 170m<br/>2L-NDLC180 : 180m<br/>2L-NDLC190 : 190m<br/>2L-NDLC200 : 200m<br/>2L-NDLC210 : 210m<br/>2L-NDLC220 : 220m<br/>2L-NDLC230 : 230m<br/>2L-NDLC240 : 240m<br/>2L-NDLC250 : 250m<br/>2L-NDLC260 : 260m<br/>2L-NDLC270 : 270m<br/>2L-NDLC280 : 280m<br/>2L-NDLC290 : 290m<br/>2L-NDLC300 : 300m<br/>2L-NDLC310 : 310m<br/>2L-NDLC320 : 320m<br/>2L-NDLC330 : 330m<br/>2L-NDLC340 : 340m<br/>2L-NDLC350 : 350m<br/>2L-NDLC360 : 360m<br/>2L-NDLC370 : 370m<br/>2L-NDLC380 : 380m<br/>2L-NDLC390 : 390m<br/>2L-NDLC400 : 400m<br/>2L-NDLC410 : 410m<br/>2L-NDLC420 : 420m<br/>2L-NDLC430 : 430m<br/>2L-NDLC440 : 440m<br/>2L-NDLC450 : 450m<br/>2L-NDLC460 : 460m<br/>2L-NDLC470 : 470m<br/>2L-NDLC480 : 480m<br/>2L-NDLC490 : 490m<br/>2L-NDLC500 : 500m<br/>2L-NDLC510 : 510m<br/>2L-NDLC520 : 520m<br/>2L-NDLC530 : 530m<br/>2L-NDLC540 : 540m<br/>2L-NDLC550 : 550m<br/>2L-NDLC560 : 560m<br/>2L-NDLC570 : 570m<br/>2L-NDLC580 : 580m<br/>2L-NDLC590 : 590m<br/>2L-NDLC600 : 600m</p> |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|



Simply Better Connections

***ATEN International Co., Ltd.***

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.