

UCE260

USB 2.0 Cat 5延長器 (60公尺)



UCE260透過乙太網路線，可輕易地將USB訊號延伸至60公尺；此外傳輸速率最高達480Mb/s，並且向下相容至USB1.1(12Mb/s)及1.0(1.5Mb/s)裝置。無需任何設定及安裝驅動軟體，即可突破傳統USB的距離限制，延長USB周邊裝置或集線器與電腦之間的距離達60公尺(196英尺)。



功能

- 支援任何高速(480 Mb/s)，全速(12 Mb/s)或低速(1.5 Mb/s)USB裝置
- 透過乙太網路線，可將USB裝置的訊號延長達60公尺(196英尺)
- 附有專用變壓器，確保供電穩定性
- 支援熱插拔功能，隨插即用
- 最經濟實惠的USB 訊號傳輸延長方案
- 無需安裝任何驅動軟體即可使用

規格

Function	近端裝置	遠端裝置
連接介面		
USB連接埠	1 x USB Type-A 公頭	1 x USB Type-A母頭
連線	1 x RJ-45 母頭	1 x RJ-45 母頭
電源	N/A	1 x DC 電源插孔
USB 規格	2.0 高速 / 全速 / 低速	2.0 高速 / 全速 / 低速
支援的 USB 裝置	N/A	1個 注意: USB視訊裝置的連接 與否以各家廠商自行測試 宣告為準
耗電量	DC5V:0.65W:3BTU/h 附註: ●單位=瓦特:表示設備在沒有外部負載情況下的典型功率損耗 ●單位= BTU/h:表示設備滿載時的功率損耗	DC5V:0.95W:15BTU/h 附註: ●單位=瓦特:表示設備在沒有外部負載情況下的典型功率損耗 ●單位= BTU/h:表示設備滿載時的功率損耗
作業環境		
操作溫度	0–40°C	0–40°C
儲存溫度	-20–60°C	-20–60°C
溼度	0–80% RH, 無凝結	0–80% RH, 無凝結
機體屬性		
外殼材質	塑膠	塑膠
重量 g (公克), kg (公斤), lb(英磅)	0.04 kg (0.09 lb)	0.02 kg (0.05 lb)
尺寸 - 長 x 寬 x 高 cm (公分), in. (英吋)	6.30 x 3.10 x 2.19 cm (2.48 x 1.22 x 0.86 in.)	6.30 x 3.10 x 2.19 cm (2.48 x 1.22 x 0.86 in.)
附註	對於部分上機架機種, 規格表中尺寸 (長 x 寬 x 高) 亦代表 (寬 x 深 x 高)	

連線圖



Please refer to your USB video device's user manual or user guide for its compatibility and declaration.

ATEN International Co., Ltd.

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767
 www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.
 ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.
 All rights reserved. All other trademarks are the property of their respective owners.