

## VC960

Mini DisplayPort to DVI Adapter



## Mini DisplayPort to DVI Adapter



Mini DisplayPort Input  
DisplayPort 1.2a compliant

DVI-I Output



#### Plug-n-Play

No installation software or drivers required. The VC960 is the perfect solution for connecting Mini DisplayPort inputs to DVI output displays.

## Contact Us

Get a quote for this product or get in touch with our sales experts


[Get Quote](#)

[Contact Sales](#)**Superior Video Resolution**

Supports resolutions up to 1920 x 1200 and 1080p, making it highly compatible across devices.

**Talk to Our Experts**

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly



#### Features

The Mini DisplayPort to DVI Adapter allows you to connect a device with a Mini DisplayPort to a display with a DVI connector.

The adapter is perfect for Mac series products, including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro.

- Converts Mini DisplayPort signals to DVI output
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1920x1200(PC) / 1080p(HDTV)
- Supports Mac Products including MacBook, MacBook Pro, MacBook Air, Mac mini and Mac Pro
- No software or driver installation needed
- DisplayPort 1.2 compliant

## Specifications

|                        |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Video Input            |                                                                                                                                 |
| Interfaces             | 1 x Mini DisplayPort Male (White)                                                                                               |
| Video Output           |                                                                                                                                 |
| Interfaces             | 1 x DVI-I Female (White)*<br>*VC960 Only supports digital signal transmission.                                                  |
| Video                  |                                                                                                                                 |
| Max. Pixel Clock       | 165 MHz                                                                                                                         |
| Max. Resolution        | Input up to 4096 x 2160@60Hz (4:4:4)<br>Output up to 1920 x 1200                                                                |
| Compliance             | DP 1.2                                                                                                                          |
| Environmental          |                                                                                                                                 |
| Operating Temperature  | 0 - 50 °C                                                                                                                       |
| Storage Temperature    | -20 - 60 °C                                                                                                                     |
| Humidity               | 0 - 80% RH, Non-Condensing                                                                                                      |
| Physical Properties    |                                                                                                                                 |
| Housing                | Plastic                                                                                                                         |
| Weight                 | 0.05 kg ( 0.11 lb )                                                                                                             |
| Dimensions (L x W x H) | 20.00 x 4.30 x 2.01 cm<br>(7.87 x 1.69 x 0.79 in.)                                                                              |
| Carton Lot             | 40 pcs                                                                                                                          |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

**Diagram****ATEN International Co., Ltd.**

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.