

## KA7140

Serial Console Adapter




The Altusen Serial KVM Adapter Cable connected to KVM device allows the control of serial devices through serial ports. This adapter is light and come in compact form factor, ideal for rack-mount or desktop servers.

### Features

- Hot pluggable - add or remove computers without having to power down the switch
- Support VT100
- Support up to 300m signal transmission
- Lifetime firmware upgrades
- Compact size

## Specifications

|                        |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Connectors             |                                                                                                                                 |
| Link                   | 1 x RJ-45 Female                                                                                                                |
| Computer               | 1 x DB-9 Female                                                                                                                 |
| Power                  | 1 x Mini USB Type B Female (Black)                                                                                              |
| LEDs                   |                                                                                                                                 |
| Online                 | 1 (Green)                                                                                                                       |
| Power                  | 1 (Orange)                                                                                                                      |
| Environmental          |                                                                                                                                 |
| Operating Temperature  | 0-50°C                                                                                                                          |
| Storage Temperature    | -20–60°C                                                                                                                        |
| Physical Properties    |                                                                                                                                 |
| Housing                | Plastic                                                                                                                         |
| Weight                 | 0.09 kg ( 0.2 lb )                                                                                                              |
| Dimensions (L x W x H) | 9.00 x 4.30 x 2.18 cm<br>(3.54 x 1.69 x 0.86 in.)                                                                               |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |

**Diagram****ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.