


## VC985

DisplayPort to HDMI Adapter



## DisplayPort to HDMI Adapter



DisplayPort Input  
DisplayPort 1.2a compliant

HDMI Output

**Plug-n-Play**

No installation software or drivers required. The VC985 is the perfect solution for connecting DisplayPort inputs to HDMI output displays.

**Supports 1080p**

Supports resolutions up to 1080p, making it highly compatible across devices.




## Contact Us

Get a quote for this product or get in touch with our sales experts

[Get Quote](#)

[Contact Sales](#)



#### Superior Signal Quality


The internal copper foil shielding protection ensures signal integrity and minimizes external interference, giving you extra reliable and superior quality signals.

[Talk to Our Experts](#)

## Talk to Our Experts

If you prefer to have ATEN contact you, please complete the form and a representative will be in touch with you shortly





### Features

The VC985 is a DisplayPort to HDMI adapter, allowing you to connect your device's DisplayPort output to the HDMI input of a TV or other display.


The VC985 provide a cost-effective yet high performance signal conversion solution. This adapter is therefore perfect for computers and notebooks, supporting display resolutions of up to 1080p (1920x1080@60Hz).

- Converts DisplayPort signals to HDMI output
- DisplayPort 1.2 a compliant
- Supports VGA, SVGA, XGA, SXGA, UXGA and resolutions up to 1080p (HDTV)
- Audio Supported
- No software or driver installation required

## Specifications

|                        |                                                                                                                                 |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Video Input            |                                                                                                                                 |
| Interfaces             | 1 x DisplayPort Male (White)                                                                                                    |
| Video Output           |                                                                                                                                 |
| Interfaces             | 1 x HDMI Type A female (Black)                                                                                                  |
| Video                  |                                                                                                                                 |
| Max. Pixel Clock       | 165MHz                                                                                                                          |
| Max. Resolution        | 1920 x 1080@60HZ                                                                                                                |
| Compliance             | DP1.2, HDMI 1.3                                                                                                                 |
| Audio                  |                                                                                                                                 |
| Output                 | 1 x HDMI Type A Female (Black)                                                                                                  |
| Environmental          |                                                                                                                                 |
| Operating Temperature  | 0 - 50 °C                                                                                                                       |
| Storage Temperature    | -20–60 °C                                                                                                                       |
| Humidity               | 0 - 80% RH, Non-Condensing                                                                                                      |
| Physical Properties    |                                                                                                                                 |
| Housing                | Plastic                                                                                                                         |
| Weight                 | 0.04 kg ( 0.09 lb )                                                                                                             |
| Dimensions (L x W x H) | 18.00 x 4.50 x 1.50 cm<br>(7.09 x 1.77 x 0.59 in.)                                                                              |
| Carton Lot             | 40 pcs                                                                                                                          |
| Note                   | For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format. |



**Diagram****ATEN International Co., Ltd.**

3F, No.125, Sec. 2, Datong Rd., Sijhih District., New Taipei City 221, Taiwan

Phone: 886-2-8692-6789 Fax: 886-2-8692-6767

www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their  
respective owners.