

## VE170RQ

VGA/Audio Cat 5 Receiver with Deskew (1280 x 1024@300m)



The VE170RQ A/V Over Cat 5 Receiver connects to a transmitter\* to extend signals up to 300m from the source using a Cat 5e cable. It is a cost-effective and efficient solution for sending and receiving high quality audio and video content. The VE170RQ features ATEN patented Deskew technology, which supports the manual synchronization of RGB signals and corrects color phase and timing errors that occur over large distances.

Compatible Transmitter Unit:  
[VE170T](#) A/V Over Cat 5 Transmitter  
[VS1204T](#) A/V Over Cat 5 Transmitter  
[VS1208T](#) A/V Over Cat 5 Transmitter

	<b>Video In</b> <b>HDB-15</b>		<b>Video Out</b> <b>HDB-15</b>
	<b>Audio</b> <b>Speaker</b>		<b>Extension</b> <b>300 meters</b>
<b>ATEN Deskew</b>			

### Features

- Long distance transmission up to 300 m
- Deskew Function – allows you to synchronize the time delay of RGB signals to compensate for distance
- Superior video quality -  
1920x1200 @ 60Hz (150 m); 1280x1024 @ 60Hz (300 m)
- Audio enabled (mono)
- Adjustable gain/compensation control
- Built-in 8KV/15KV ESD protection
- Rack-mountable
- Complies with VESA FDMI mount standard

### Specifications

Video Output	
Interfaces	1 x HDB-15 Female (Blue)
Impedance	75 Ω
Max. Distance	1.8 m
Video	
Max. Bandwidth	300 MHz
Max. Resolutions / Distance	Up to 1920 x 1200@150m; 1280 x 1024@300m
Audio	
Output	1 x Mini Stereo Jack Female (Green)
Connectors	
Power	1 x DC Jack (Black)
Power Consumption	DC5.3V:5.24W:25BTU/h  Note: ● The measurement in Watts indicates the typical power consumption of the device with no external loading. ● The measurement in BTU/h indicates the power consumption of the device when it is fully loaded.
Environmental	
Operating Temperature	0-50°C
Storage Temperature	-20 - 60°C
Humidity	0 - 80% RH, Non-Condensing
Physical Properties	
Housing	Metal
Weight	0.24 kg ( 0.53 lb )
Dimensions (L x W x H)	12.77 x 9.04 x 2.26 cm (5.03 x 3.56 x 0.89 in.)
Carton Lot	5 pcs
Note	For some of rack mount products, please note that the standard physical dimensions of WxDxH are expressed using a LxWxH format.

Diagram



**ATEN International Co., Ltd.**

3F., No.125, Sec. 2, Datong Rd., Sijih District., New Taipei City 221, Taiwan  
Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
www.aten.com E-mail: marketing@aten.com



© Copyright 2015 ATEN® International Co., Ltd.  
ATEN and the ATEN logo are trademarks of ATEN International Co., Ltd.  
All rights reserved. All other trademarks are the property of their respective owners.